Datasheet and description



Avide LED Highbay Light 150W SMD3030 5000K 110°

Product code: AHBL-150W-110

Brand link: avidelighting.com/qr/AHBL-150W-110

ID: AB-190518

Company name: Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



Date of issue: 2025-04-25

Page: 1/3

SPECIFICATIONS

EAN code: 5999562289365

Warranty: 5year(s)
Working temperature: $-20 - +40 \, ^{\circ}\text{C}$ Packaging: $1/b \, 1/c \, 24/p$

Certifications: CE

TECHNICAL DETAILS

Wattage: 150W

Voltage: 100-240V

Beam angle: 110°

Dimmability: No

Lumen output: 18 000lm
Color temperature: 5 000K
Lifetime: 30 000h
Energy class: A+

Type of LED: SMD3030

CRI: 70
IP standard: IP65

BOX PICTURE

Datasheet and description



Avide LED Highbay Light 150W SMD3030 5000K 110°

Product code: AHBL-150W-110

Brand link: avidelighting.com/qr/AHBL-150W-110

ID: AB-190518

Company name: Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



Date of issue: 2025-04-25

Page: 2/3

PRODUCT SIZE

Diameter: 430mm Height: 160mm

CARDBOARD BOX

EAN: 5999562289365 Packaging: 1/b 1/c 24/p

Dimensions: 485mm x 220mm x 485mm

 Net weight:
 6 720g

 Gross weight:
 6 720g

CARTON

EAN: 5999562289372

Packaging: 1/b 1/c 24/p

Dimensions: 485mm x 485mm x 225mm

Net weight: 6.72kg
Gross weight: 6.72kg

PALLET EXAMPLE

Height:

Width: 120cm (std Euro pallet)
Mepth: 80cm (std Euro pallet)

Cartons per pallet: 24carton/pallet

Cartons per row:

Net weight: 161.28kg Gross weight: 161.28kg

PRODUCT PICTURE



PRODUCT OUTLINE

Datasheet and description



Avide LED Highbay Light 150W SMD3030 5000K 110°

Product code: AHBL-150W-110

Brand link: avidelighting.com/qr/AHBL-150W-110

ID: AB-190518

Company name: Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



Date of issue: 2025-04-25

Page: 3/3

PRODUCT DESCRIPTION

The IP65 LED highbay lights replacing the traditional, high power halogen light sources are available in both SMD and COB chip versions. We recommend this solution for lighting large spaces with high ceilings, outdoor facilities, parking garages, shopping centers and halls. They are available in neutral white and cool white color temperatures, with a wide range of power versions to ensure the most precise light quantity for the spaces to be lit. Broader light scattering characterizes the SMD technology, while COB technology is characterized by more focused lighting.

The Avide product range includes numerous additional products. Learn more about these on the following link.