

## Avide LED Strip 12V 7.2W 4000K IP20 5m

<b>Product code:</b>	ABLS12V2835-60NW20-7.2W
<b>Brand link:</b>	<a href="https://avidelighting.com/qr/ABLS12V2835-60NW20-7.2W">avidelighting.com/qr/ABLS12V2835-60NW20-7.2W</a>
<b>ID:</b>	AB-190518
<b>Company name:</b>	Bramcke Hungary Kft.
<b>Company address:</b>	Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-05-21

Page: 1/3

### SPECIFICATIONS

EAN code:	5999097908045
Warranty:	2year(s)
Working temperature:	-20 - +40 °C
Packaging:	5/b 500/c
Certifications:	CE

### BOX PICTURE

### TECHNICAL DETAILS

Wattage:	7.2W
Voltage:	
Beam angle:	120°
Dimmability:	Yes
Lumen output:	3 600lm
Color temperature:	4 000K
Lifetime:	25 000h
Energy class:	F
Type of LED:	SMD2835
LED / meter:	60LED/m
IP standard:	IP20

## Avide LED Strip 12V 7.2W 4000K IP20 5m

**Product code:** ABLS12V2835-60NW20-7.2W  
**Brand link:** [avidelighting.com/qr/ABLS12V2835-60NW20-7.2W](https://avidelighting.com/qr/ABLS12V2835-60NW20-7.2W)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-05-21

Page: 2/3

### CARDBOARD BOX

**EAN:** 5999097908045  
**Packaging:** 5/b 500/c  
**Dimensions:** 160mm x 180mm x 10mm  
**Net weight:** 19g  
**Gross weight:** 20.9g

### BOX PICTURE

### CARTON

**EAN:** 5999097908052  
**Packaging:** 5/b 500/c  
**Dimensions:** 410mm x 410mm x 240mm  
**Net weight:** 9.5kg  
**Gross weight:** 10.45kg

### PALLET EXAMPLE

**Height:**  
**Width:** 120cm (std Euro pallet)  
**Mepth:** 80cm (std Euro pallet)  
**Cartons per pallet:** 0carton/pallet  
**Cartons per row:**  
**Net weight:** 0.019kg  
**Gross weight:** 0.0209kg

Avide LED Strip 12V 7.2W 4000K IP20 5m

**Product code:** ABLS12V2835-60NW20-7.2W  
**Brand link:** [avidelighting.com/qr/ABLS12V2835-60NW20-7.2W](https://avidelighting.com/qr/ABLS12V2835-60NW20-7.2W)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



**Date of issue:** 2024-05-21

**Page:** 3/3

PRODUCT DESCRIPTION